



riteSCAN®

PRINTING GUIDE

VERSION 6.52.X.X

Copyright © 2020 riteSOFT, LLC
Published March 2020
Revision 6.52.X.X

All rights reserved. No part of this document may be copied, photocopied, or reproduced in any form or by any means without permission in writing from riteSOFT, LLC. riteSCAN is a trademark of riteSOFT, LLC. All other trademarks, service marks, products, or services are trademarks or registered trademarks of their respective holders.

riteSOFT, LLC reserves the right to alter the contents of this document without prior notice. While every effort is made to ensure that the contents of this document are correct, no liability whatsoever will be accepted for any errors or omissions.

This document is copyrighted work and is protected by local copyright, civil and criminal law, and international treaty. This document further contains secret, confidential, and proprietary information belonging to riteSOFT, LLC. It is disclosed solely for the purpose of it being used in the context of the licensed use of the riteSOFT, LLC software products to which it relates. Such copyrighted works and information may not be published, disseminated, broadcast, copied, or used for any other purpose. This document and all portions thereof include, but without limitation, copyright, trade secret, and other intellectual property rights subsisting therein, and relating thereto, are and shall at all times remain the sole property of riteSOFT, LLC.

riteSCAN® Printing Guide

Version 6.52.X.X

Contents

1	WELCOME	4
2	PRINTING OVERVIEW	4
3	CREATING A LABEL FILE	4
3.1	LABEL FILE FORMAT	5
3.2	LABEL FILE NAMING CONVENTION	5
3.3	VARIABLE NAMES NOMENCLATURE.....	5
3.4	VARIABLE ITEM ARRAYS	6
3.5	AVAILABLE VARIABLE NAMES.....	6
4	CREATING PRINT TARGETS.....	6
4.1	PRINT TARGET PROPERTIES.....	6
4.1.1	<i>Description.....</i>	<i>7</i>
4.1.2	<i>Label File.....</i>	<i>7</i>
4.1.3	<i>Device Path.....</i>	<i>7</i>
4.1.4	<i>Device Type (Folder or Printer)</i>	<i>7</i>
4.1.5	<i>Default Number of Copies.....</i>	<i>7</i>
4.1.6	<i>Output a merge file for each copy</i>	<i>8</i>
4.1.7	<i>Print Test.....</i>	<i>8</i>
4.1.8	<i>Custom Fields.....</i>	<i>8</i>
4.1.8.1	<i>Description.....</i>	<i>8</i>
4.1.8.2	<i>Code.....</i>	<i>8</i>
5	ASSIGNING PRINT TARGETS TO OPERATORS.....	8
6	UPDATE LABELS FUNCTION.....	9
7	AVAILABLE VARIABLE NAMES.....	12
7.1	RITESCAN.....	12
7.2	DATE TIME.....	12
7.3	PRINT JOB.....	12
7.4	OPERATOR	12
7.5	FROMPALLET / TOPALLET	13
7.6	PALLET	13
7.7	PALLETITEM	13
7.8	PALLETASSIGNMENTS.....	14
7.9	INVENTORY WAREHOUSE	14
7.10	SYSPRO CUSTOM FORM.....	14
7.11	RITESCAN CUSTOM FIELDS	15
7.12	STOCK ITEM.....	15
7.13	STOCKCODE.....	17
7.14	WAREHOUSE TRANSFER.....	18

7.15	BIN TRANSFER	18
7.16	STOCK TAKE	18
7.17	MISC RECEIPT	18
7.18	SALES ORDER PICKING & SALES ORDER PICKING RESERVE	19
7.19	PURCHASE ORDER RECEIPT & PO RECEIPT ALL.....	20
7.20	GOODS IN TRANSIT IN	22
7.21	GOODS IN TRANSIT OUT	23
7.22	ORDER PICKING.....	23
7.23	GENERATE DISPATCH.....	27
7.24	PACKING	29
7.25	JOB RECEIPT	31
7.26	BACKFLUSHING	31
7.27	JOB ISSUE.....	32
7.28	KIT ISSUE	33
7.29	DISPATCH NOTE	33
7.30	EXPENSE ISSUE	34
7.31	AD HOC PRINTING	34
7.32	RECEIPT FROM INSPECTION	34
7.33	WIP RECEIPT FROM INSPECTION	36
7.34	PALLET STAGING.....	37
7.35	LINE ITEM	38
8	SUPPLEMENTAL DOCUMENTS	38
9	ADDITIONAL HELP AND SUPPORT	38

1 Welcome

Welcome to the riteSCAN Printing Guide. This document provides the information that will help you configure riteSCAN for printing. For detailed “how to” steps to setup specific scenarios like printing serial number labels, see the list of additional documents in the Supplemental Documents section.

2 Printing Overview

Each item mentioned here is described in greater detail in the respective sections below.

riteSCAN can be configured to output information related to a transaction after successfully posting to SYSPRO. riteSCAN does not have built-in label printing functionality but simply exports data to an ascii text file. This file can be read by external label printing software such as NiceLabel or BarTender. For example, you can configure riteSCAN to work with your label printing software to print stock labels when posting a purchase order receipt.

The first configuration step is to create the Label File (see section 3 below). The Label File is simply a configuration file that riteSCAN will read and use to determine which data items will be exported to the output ascii text file. The output file riteSCAN will produce is called the Merged Output File. Besides the data items to output, the Label File can also define the formatting for the Merged Output File (i.e. comma delimited, tab delimited, etc.).

The next step in the configuration process is to create a Print Target for the transactions (see section 4 below). Print Targets are created using the riteSCAN Administration Application. The Print Target defines which Label File will be used and where riteSCAN will send the Merged Output file. The Merged Output file can be sent to a file folder or the raw data can be sent directly to a printer (there is no ability to define label layouts or create barcodes when sending directly to a printer, it is simply a raw data string that is printed).

The next step in configuring riteSCAN for printing is to assign the Print Targets you created to riteSCAN Operators (see section 5 below).

The last step is to perform the Update Labels function on the riteSCAN Windows Clients and riteSCAN Mobile devices (see section 6 below). Once this step is done, riteSCAN has been configured for printing.

3 Creating a Label File

The Label File is a text based file that acts as a template and defines which data items are output from riteSCAN. The Label File can also define the format for the data. In the example below, data item values from a purchase order receipt, which has been posted using riteSCAN, will replace the corresponding variable name in the Label File. In the example below, the variable name {PurchaseOrderLine.StockCode} will be replaced with the value of the stock code received (A100 in our example).

Label File example:

```
"{DateTime.1}", "{PurchaseOrderLine.PurchaseOrder}", "{PurchaseOrderLine.StockCode}", "{PurchaseOrderLine.StockDescription}", "{PrintJob.NumberOfCopies}"
```

Merged Output File produced:

```
"12-20-2014","700243","A100", "Boy's 10 Speed Bicycle","5"
```

3.1 Label File Format

The Label File format should always be ASCII text (not rich text formatted).

3.2 Label File Naming Convention

The Label File can be named anything you like but it must have the file extension “.label”.

3.3 Variable Names Nomenclature

Variable names must be enclosed in curly brackets. riteSCAN will simply replace the variable name including the curly brackets with the actual data from the transaction, leaving all other characters as is. Here are some common examples:

- 1) If you would like data values enclosed in parenthesis, put parenthesis around the variable name.

Label File example:

```
"{DateTime.1}","{PurchaseOrderLine.PurchaseOrder}"
```

Merged Output File produced:

```
"12-20-2014","700243"
```

- 2) If you would like data values enclosed in single quotes, put single quotes around the variable name.

Label File example:

```
`{DateTime.1}`, `{PurchaseOrderLine.PurchaseOrder}`
```

Merged Output File produced:

```
`12-20-2014`, `700243`
```

- 3) If you would like the data values to be in Tab delimited format, place Tabs between the variable names.

Label File example:

```
{DateTime.1}      {PurchaseOrderLine.PurchaseOrder}
```

Merged Output File produced:

```
12-20-2014      700243
```

- 4) If you would like to include fixed text data, simply insert the fixed text where desired.

Label File example:

```
Date: {DateTime.1} PO#: {PurchaseOrderLine.PurchaseOrder}
```

Merged Output File produced:

```
Date: 12-20-2014 PO#: 700243
```

3.4 Variable Item Arrays

Some variable names contain brackets []. Brackets signify that this variable represents a collection of items. Using a variable name with brackets will output a comma delimited list of values for each item in the collection.

3.5 Available Variable Names

See the Available Variable Names section below.

4 Creating Print Targets

Print Targets are defined using the riteSCAN Administration Application under System Setup → Print Settings. Start by selecting a riteSCAN function (i.e. Warehouse Transfer, Misc. Receipt, etc.) for the Print Target. In the Print Target properties, you select the Label File you created and set the device path for the Merged Output File.

4.1 Print Target Properties

Operators	Manage Logins	System Setup	Smart Scan	History	System Information	Registration	About
------------------	----------------------	---------------------	-------------------	----------------	---------------------------	---------------------	--------------

Print Settings
 Ad Hoc Printing
 Backflushing
 Bin Transfer
 Dispatch Notes
 Expense Issues
 Goods in Transit In
 Goods in Transit Out
 Job Issue
 Job Receipt
 Kit Issue
 Misc Receipt
 Order Picking
 Generate Dispatch
 Packing
 Pallet Staging
 Pallet Tracking
 Purchase Order Receipt
 Receipt From Inspection

Print Targets
 PO Receipt
 Serials
 PO Receipt Printer 1
 PO Receipt Printer 2
 AllVariables
 SerialOnly
 LotOnly

Description: PO Receipt
 Label File: PO Receipt.label [Choose File](#) No file chosen
 Device Path: C:\Program Files (x86)\riteSOFT\riteSCAN Print Labe
☒ Folder ☐ Printer
 1 Default Number of Copies ☒ Output a merge file for each copy
[Print Test](#)

Custom Fields

Description:	
Code:	

[Delete](#) [New](#) [Save](#)

4.1.1 Description

Enter a description for the print target. The description is the name used to identify the print target when assigning it to operators. An example of a Print Target Description is "PO Receipt Label".

4.1.2 Label File

Browse to the Label File you created, it must have a ".label" extension. See the "Creating a Label File" section in this document for more information.

4.1.3 Device Path

The device path is the path to a printer or a folder. This path must be reachable by the riteSCAN Web Service server.

4.1.4 Device Type (Folder or Printer)

Specify if you are sending the riteSCAN printed output (Merged Output File) to a file folder or a printer.

4.1.5 Default Number of Copies

The number specified here can be overwritten by the riteSCAN Operator at print time. If the operator does not wish to specify the number of copies, this default number of copies is used.

4.1.6 Output a merge file for each copy

When checked, a Merged Output File will be created for each of the number of copies specified.

4.1.7 Print Test

Outputs a test file to the specified Print Target folder or printer device. Use this to test that the Device Path is reachable by the riteSCAN Web Service.

4.1.8 Custom Fields

Beginning in riteSCAN version 6.51.25.0, you can add additional Custom Fields to your Print Target. These Custom Fields will appear on the Print Dialog and allow the user to input values for printing.

4.1.8.1 Description

Enter the text label that you would like to appear on the Print Dialog.

4.1.8.2 Code

Enter the variable name. This name will be used in the .label file. For example a Code of “CaseQty” can be using in the label file formatted with curly brackets: {CaseQty}

5 Assigning Print Targets to Operators

As it is with most riteSCAN Operator Settings, print targets can be assigned to all operators or individuals. To set the print target for an operator, select the operator in the Operators list. Next select the riteSCAN Module for which you are setting up printing. In the settings for that module, check the Allow “module name” Print checkbox. Finally, select the desired Print Target from “Available Print Targets” and click the “Add” button. To save your changes, click on the Save Settings link.

Note that Pallet Tracking Print Targets can be assigned to any module that support Pallet Tracking.

Operators	Manage Logins	System Information	System Setup	Smart Scan	About	History	Registration
------------------	----------------------	---------------------------	---------------------	-------------------	--------------	----------------	---------------------

Operators

- All Operators
- ADMIN
- Matt
- MattTest
- Nancy
- RyanTest

Delete Operator

Operator Settings for: All Operators

[Save Settings](#)

General Settings

Inventory Query

Warehouse Transfer

Bin Transfer

Stock Take

Quantity Adjustment

Expense Issue

Misc Receipt

Sales Order Picking

Sales Order Picking Reserve

Receipt From Inspection

Purchase Order Receipt

PO Receipt All

Goods in Transit In

Goods in Transit Out

Dispatch Note

Job Issue

Kit Issue

Job Receipt

Labor Post

Backflushing

WIP Locator

WIP Receipt From Inspection

Print Label

Pallet Tracking

☐ Deny Access to Purchase Order Receipts

☐ Allow Cost Basis Edit

Default Cost Basis:

Default Cost Basis for Non-stocked items:

☐ Deny access to pick from order view

☒ Prefill quantity from order line

☐ Prefill from default bin ☐ Use last bin entered

☐ Display Inspection Notice

Cost Multiplier Supplier:

Cost Multiplier Ledger Code:

Cost Multiplier Reference:

☒ Allow Issue to Job

Note and Reference

Print Settings

☒ Allow Purchase Order Print

Available Print Targets

PO Receipt

Selected Print Targets

Add

Remove

Several modules have the option to consolidate lines when printing. This will put all print lines in a single file instead of creating separate files for each item in the transaction. See the riteSCAN Administrator's Guide for more information.


Modules that support Pallet Tracking will have the Pallet Tracking Print Targets available to assign as Selected Print Targets.

6 Update Labels Function


Anytime a change is made to an existing label format or a new label format is created and assigned to the operators, the Update Label function must be performed on all riteSCAN Windows Clients and all riteSCAN Mobile devices. The Update Labels function will retrieve all changes and all new formats from the server and make them available on the Windows Client or Mobile device.

There are two ways to access the Update Labels function. The screenshots below reflect the Windows Client but the Mobile device screens will be similar.


- 1) The first option is to Update Labels from the Util Tab
 - a. Click the Util tab and click the Print Label Icon



- b. Click the Options menu item and then More



- c. Click the Options menu again and then Update Labels. You will see a list of all label formats that were found and updated.



- 2) The second option is to Update Labels from any print label dialog.
- a. When a Print dialog screen is displayed, click the Options menu item and then click Update Labels. You will see a list of all label formats that were found and updated.



7 Available Variable Names

Certain variables are available to all transaction types within riteSCAN, while others are limited to specific types of transactions.

7.1 riteSCAN

(available for Purchase Order Receipt & PO All)

`ritescan.ReceivedIntoInspection`

7.2 DateTime

(available for all transaction types)

Each DateTime option represents a different DateTime format as shown.

DateTime.1	Format: YYYY-MM-DD
DateTime.2	Format: DD/MM/YY
DateTime.3	Format: MM/DD/YY
DateTime.4	Format: YY/MM/DD
DateTime.5	Format: DD/MM/YYYY
DateTime.6	Format: MM/DD/YYYY
DateTime.7	Format: YYYY/MM/DD
DateTime.8	Format: MM/DD/YYYY
DateTime.9	Format: HH:mm
DateTime.10	Format: HH:mm:ss

7.3 Print Job

(available for all transaction types)

`PrintJob.PrintTargetType` (Folder or Printer)
`PrintJob.TargetDevice`
`PrintJob.Name`
`PrintJob.CommandPerCopy` (True or False)
`PrintJob.NumberOfCopies`
`PrintJob.Description`

7.4 Operator

(available for all transaction types)

Legacy Variable Names:

`Operator.OperatorCode`
`Operator.StatusMessage`
`Operator.LogonTime`
`Operator.Operator`
`Operator.Company.CompanyId`
`Operator.Company.CompanyName`

(available in PO Receipt All and Sales Order Picking Reserve)

New Variable Names:

`OperatorPlus.OperatorCode`
`OperatorPlus.StatusMessage`

```
OperatorPlus.LogonTime
OperatorPlus.Operator
OperatorPlus.CompanyId
OperatorPlus.CompanyName
```

7.5 FromPallet / ToPallet

(available in modules with To / From Pallet Mode)

```
FromPallet.CompanyId
FromPallet.PalletId
FromPallet.CreatedDate
FromPallet.CreatedBy
FromPallet.UpdatedDate
FromPallet.UpdatedBy
FromPallet.PalletStatus
FromPallet.WH
FromPallet.Bin
```

```
ToPallet.CompanyId
ToPallet.PalletId
ToPallet.CreatedDate
ToPallet.CreatedBy
ToPallet.UpdatedDate
ToPallet.UpdatedBy
ToPallet.PalletStatus
ToPallet.WH
ToPallet.Bin
```

7.6 Pallet

(available in modules with Single Pallet Mode)

```
Pallet.CompanyId
Pallet.PalletId
Pallet.CreatedDate
Pallet.CreatedBy
Pallet.UpdatedDate
Pallet.UpdatedBy
Pallet.PalletStatus
Pallet.Warehouse
Pallet.Bin
```

7.7 PalletItem

(available in Pallet Maintenance)

```
PalletItem.StockCode
PalletItem.Lot
PalletItem.Serial
PalletItem.Qty
PalletItem.Note
PalletItem.Reference
PalletItem.CreatedDate
PalletItem.CreatedBy
PalletItem.UpdatedDate
PalletItem.UpdatedBy
PalletItem.SalesOrder
```

7.8 PalletAssignments

(Available when using Multiple Pallet Mode)

```
PalletAssignments.Assignments[].PalletID  
PalletAssignments.Assignments[].Quantity
```

7.9 Inventory Warehouse

(available for all transaction types except Kit Issue, Sales Order Picking Reserve, GIT Out & Warehouse Transfer)

```
InvWarehouse.Warehouse  
InvWarehouse.StockCode  
InvWarehouse.DefaultBin  
InvWarehouse.CostMultiplier  
InvWarehouse.LastCostEntered  
InvWarehouse.UserField1  
InvWarehouse.UserField2  
InvWarehouse.UserField3  
InvWarehouse.SubContractCost  
InvWarehouse.QtyOnHand
```

For Warehouse Transfer, use the following variables to differentiate between the 'from' and 'to' warehouses:

```
FromInvWarehouse.Warehouse  
FromInvWarehouse.StockCode  
FromInvWarehouse.DefaultBin  
FromInvWarehouse.CostMultiplier  
FromInvWarehouse.LastCostEntered  
FromInvWarehouse.UserField1  
FromInvWarehouse.UserField2  
FromInvWarehouse.UserField3  
FromInvWarehouse.SubContractCost  
FromInvWarehouse.QtyOnHand (Note: this is updated after the transaction is posted)
```

```
ToInvWarehouse.Warehouse  
ToInvWarehouse.StockCode  
ToInvWarehouse.DefaultBin  
ToInvWarehouse.CostMultiplier  
ToInvWarehouse.LastCostEntered  
ToInvWarehouse.UserField1  
ToInvWarehouse.UserField2  
ToInvWarehouse.UserField3  
ToInvWarehouse.SubContractCost  
ToInvWarehouse.QtyOnHand (Note: this is updated after the transaction is posted)
```

7.10 SYSPRO Custom Form

(Available in Order Picking, Kit Issue, Job Issue, Job Receipts, Purchase Order Receipts, and Purchase Order Receipt all)

Beginning in riteSCAN version 6.52.4.0 - If you have a Custom Form defined in SYSPRO, you can print the Name or Value of the Custom Form Field using the following data items.

```
CustomField{x}.Name
CustomField{x}.Value
```

In Order Picking you can also access line Custom Form values using the following data items:

```
LineCustomField{x}.Name
LineCustomField{x}.Value
```

Where {x} is the index of the field (starting with 1, ex. CustomField2.Name will print the name of the 2nd Custom Field in the list below).

The screenshot shows the 'Custom Form Design - Sales Order Line - Merchandised' window. It features a menu bar with 'File' and 'Edit', and a toolbar with 'New', 'Edit', and 'Delete' buttons. Below the toolbar is a 'Fields' table with columns: Caption, Field name, Column name, Type, Length, Decimals, Default, Validation, Edit, Delete, Up, and Down. The table contains three rows: 'Reason Code' (RC0001, ReasonCode, Alpha, 10, 0 (Spaces), None), 'SO Name' (SO_001, SoName, Alpha, 20, 0 (Spaces), None), and 'Picker' (PIC001, Picker, Alpha, 20, 0 (Spaces), None). The 'SO Name' row is selected. To the right of the table is a 'Field Properties' panel with a 'Save Field' button. It has two sections: 'Field definition' and 'Field validation'. The 'Field definition' section includes fields for Caption (SO Name), Field name (SO_001), Column name (SoName), Field type (Alpha), Field length (20), Decimals (0), and Default ((Spaces)). The 'Field validation' section includes fields for Validation (None) and Configure (Edit).

Fields	Field name	Column name	Type	Length	Decimals	Default	Validation	Edit	Delete	Up	Down
Reason Code	RC0001	ReasonCode	Alpha	10	0 (Spaces)	None	Edit	Delete	Up	Down	
SO Name	SO_001	SoName	Alpha	20	0 (Spaces)	None	Edit	Delete	Up	Down	
Picker	PIC001	Picker	Alpha	20	0 (Spaces)	None	Edit	Delete	Up	Down	
New	NEW001	New1	Alpha	10	0 (Spaces)	None	Edit	Delete	Up	Down	

7.11 riteSCAN Custom Fields

(Available for all transaction types – Beginning in riteSCAN version 6.51.25.0)

See section 4 Creating Print Target for configuration information.

Code

7.12 Stock Item

(available for all transaction types except Kit Issue)

```
StockItem.SerialPrefix
StockItem.SerialSuffix
StockItem.StockCode
StockItem.Description
StockItem.LongDesc
StockItem.AlternateKey1
StockItem.AlternateKey2
StockItem.EccUser
StockItem.StockUom
StockItem.AlternateUom
StockItem.OtherUom
StockItem.ConvFactAltUom
StockItem.ConvMulDiv
```


StockItem.ConvFactOthUom
StockItem.MulDiv
StockItem.Mass
StockItem.Volume
StockItem.Decimals
StockItem.PriceCategory
StockItem.PriceMethod
StockItem.Supplier
StockItem.CycleCount
StockItem.ProductClass
StockItem.TaxCode
StockItem.OtherTaxCode
StockItem.ListPriceCode
StockItem.SerialMethod
StockItem.InterfaceFlag
StockItem.KitType
StockItem.LowLevelCode
StockItem.Buyer
StockItem.Planner
StockItem.TraceableType
StockItem.MpsFlag
StockItem.BulkIssueFlag
StockItem.AbcClass
StockItem.LeadTime
StockItem.StockMovementReq
StockItem.ClearingFlag
StockItem.SupercessionDate
StockItem.AbcAnalysisReq
StockItem.AbcCostingReq
StockItem.CostUom
StockItem.MinPricePct
StockItem.LabourCost
StockItem.MaterialCost
StockItem.FixOverhead
StockItem.VariableOverhead
StockItem.PartCategory
StockItem.DrawOfficeNum
StockItem.WarehouseToUse
StockItem.BuyingRule
StockItem.SpecificGravity
StockItem.ImplosionNum
StockItem.Ebq
StockItem.ComponentCount
StockItem.FixTimePeriod
StockItem.PanSize
StockItem.DockToStock
StockItem.OutputMassFlag
StockItem.ShelfLife
StockItem.Version
StockItem.Release
StockItem.DemandTimeFence
StockItem.MakeToOrderFlag
StockItem.ManufLeadTime
StockItem.GrossReqRule
StockItem.PercentageYield
StockItem.AbcPreProd
StockItem.AbcManufacturing
StockItem.AbcSales
StockItem.AbcCumPreProd
StockItem.AbcCumManuf
StockItem.WipCtlGlcCode
StockItem.ResourceCode
StockItem.GstTaxCode
StockItem.PrcInclGst
StockItem.SerEntryAtSale
StockItem.StpSelection
StockItem.UserField1
StockItem.UserField2
StockItem.UserField3
StockItem.UserField4
StockItem.UserField5

StockItem.TariffCode
StockItem.SupplementaryUnit
StockItem.EbqPan
StockItem.StdLandedCost
StockItem.LctRequired
StockItem.StdLctRoute
StockItem.IssMultLotsFlag
StockItem.InclInStrValid
StockItem.StdLabCostsBill
StockItem.EchRequired
StockItem.CountryOfOrigin
StockItem.StockOnHold
StockItem.StockOnHoldReason
StockItem.EccFlag
StockItem.StockAndAltUm
StockItem.AltUnitChar
StockItem.JobsOnHold
StockItem.JobHoldAllocs
StockItem.PurchOnHold
StockItem.BatchBill
StockItem.BlanketPoExists
StockItem.CallOffBpoExists
StockItem.DistWarehouseToUse
StockItem.JobClassification
StockItem.SubContractCost
StockItem.DateStkAdded
StockItem.InspectionFlag
StockItem.StorageHazard

7.13 Stockcode

Stockcode.Description
Stockcode.SerEntryAtSale
Stockcode.SerialMethod
Stockcode.Serials[]
Stockcode.Serials[].SerialNumber
Stockcode.Serials[].SerialExpiryDate
Stockcode.Serials[].SerialLocation
Stockcode.Serials[].SerialQuantity
Stockcode.InspectionFlag
Stockcode.ECCFlag
Stockcode.PartCategory
Stockcode.IsKitItem
Stockcode.StockCode
Stockcode.TraceableType
Stockcode.StockAndAltUm
Stockcode.IsUQP
Stockcode.StockUom
Stockcode.AlternateUom
Stockcode.OtherUom
Stockcode.ConvFactAltUom
Stockcode.ConvFactOthUom
Stockcode.ConvMulDiv
Stockcode.MulDiv
Stockcode.ManufactureUom
Stockcode.ConvFactMuM
Stockcode.ManMulDiv
Stockcode.Decimals
Stockcode.FromSerialNumber
Stockcode.SerialQuantity
Stockcode.IsSerialRange
Stockcode.IsSerialBatch
Stockcode.IsSerialEntryAtSale
Stockcode.IsSerialApplicable
Stockcode.SerialPrefix
Stockcode.SerialSuffix
Stockcode.SerialExpiryDate
Stockcode.SerialLocation

7.14 Warehouse Transfer

```
WarehouseTransfer.QtyCapturedSmart  
WarehouseTransfer.Journal  
WarehouseTransfer.Immediate  
WarehouseTransfer.NoDestination  
WarehouseTransfer.FromWarehouse  
WarehouseTransfer.FromBin  
WarehouseTransfer.StockCode  
WarehouseTransfer.Version  
WarehouseTransfer.Release  
WarehouseTransfer.Quantity  
WarehouseTransfer.UnitOfMeasure  
WarehouseTransfer.Units  
WarehouseTransfer.Pieces  
WarehouseTransfer.ToWarehouse  
WarehouseTransfer.ToBin  
WarehouseTransfer.ToWhJournal  
WarehouseTransfer.Lot  
WarehouseTransfer.Reference  
WarehouseTransfer.Notation  
WarehouseTransfer.LedgerCode
```

7.15 Bin Transfer

```
BinTransferItem.FromBin  
BinTransferItem.Journal  
BinTransferItem.Lot  
BinTransferItem.Notation  
BinTransferItem.Pieces  
BinTransferItem.Quantity  
BinTransferItem.Reference  
BinTransferItem.Release  
BinTransferItem.StockCode  
BinTransferItem.ToBin  
BinTransferItem.UnitOfMeasure  
BinTransferItem.Units  
BinTransferItem.Version  
BinTransferItem.Warehouse
```

7.16 Stock Take

```
StockTakeItem.Bin  
StockTakeItem.LineType  
StockTakeItem.Lot  
StockTakeItem.LotExpiryDate  
StockTakeItem.Pieces  
StockTakeItem.QtyCaptured  
StockTakeItem.Reference  
StockTakeItem.Release  
StockTakeItem.Serial  
StockTakeItem.StockCode  
StockTakeItem.TicketNumber  
StockTakeItem.Version  
StockTakeItem.WarehouseCode
```

7.17 Misc Receipt

```
InvReceiptItem.Journal
```

```

InvReceiptItem.Warehouse
InvReceiptItem.StockCode
InvReceiptItem.Version
InvReceiptItem.Release
InvReceiptItem.Quantity
InvReceiptItem.UnitOfMeasure
InvReceiptItem.Units
InvReceiptItem.Pieces
InvReceiptItem.UnitCost
InvReceiptItem.TotalCost
InvReceiptItem.FifoBucket
InvReceiptItem.Lot
InvReceiptItem.LotConcession
InvReceiptItem.LotExpiryDate
InvReceiptItem.UseSingleTypeABCElements
InvReceiptItem.Bins[].BinLocation
InvReceiptItem.Bins[].BinQuantity
InvReceiptItem.Bins[].BinUnits
InvReceiptItem.Bins[].BinPieces
InvReceiptItem.ApplyCostMultiplier
InvReceiptItem.CostMultiplier
InvReceiptItem.NonMerchandiseCost
InvReceiptItem.NonMerchandiseDistribution[].NmReference
InvReceiptItem.NonMerchandiseDistribution[].NmLedgerCode
InvReceiptItem.NonMerchandiseDistribution[].NmAmount
InvReceiptItem.Reference
InvReceiptItem.Notation
InvReceiptItem.LedgerCode
InvReceiptItem.PasswordForLedgerCode
InvReceiptItem.eSignature

```

7.18 Sales Order Picking & Sales Order Picking Reserve

```

SalesOrder.SalesOrder
SalesOrder.SourceWarehouse
SalesOrder.Branch
SalesOrder.Branch_Description
SalesOrder.Customer
SalesOrder.CustomerName
SalesOrder.OrderStatus
SalesOrder.OrderDate
SalesOrder.RegShipDate
SalesOrder.OrderStatusText

```

Legacy Variable Names:

```

SalesOrderLine.Comments
SalesOrderLine.Bins[].Bin
SalesOrderLine.Bins[].Lot
SalesOrderLine.Bins[].StockQtyToShip
SalesOrderLine.Lots[].Lot
SalesOrderLine.Lots[].Certificate
SalesOrderLine.Lots[].Version
SalesOrderLine.Lots[].Release
SalesOrderLine.Lots[].StockQtyToShip
SalesOrderLine.Lots[].LotExpiryDate
SalesOrderLine.LotEntry
SalesOrderLine.Revision
SalesOrderLine.Release
SalesOrderLine.IsUQP (True or False)
SalesOrderLine.Complete (True or False)
SalesOrderLine.SalesOrder
SalesOrderLine.SalesOrderLine
SalesOrderLine.SalesOrderLineSort
SalesOrderLine.MStockCode
SalesOrderLine.MStockDes
SalesOrderLine.MWarehouse
SalesOrderLine.MBin
SalesOrderLine.MOrderQty
SalesOrderLine.MOrderQtyUnits

```

SalesOrderLine.MOrderQtyPieces
SalesOrderLine.MShipQty
SalesOrderLine.MShipQtyUnits
SalesOrderLine.MShipQtyPieces
SalesOrderLine.MBackOrderQty
SalesOrderLine.MBackOrderQtyUnits
SalesOrderLine.MBackOrderQtyPieces
SalesOrderLine.MOrderUom
SalesOrderLine.MStockingUom
SalesOrderLine.MLineShipDate
SalesOrderLine.MCustRequestDat

New Variable Names:

SalesOrderLinePlus.Comments
SalesOrderLinePlus.Bin
SalesOrderLinePlus.Lot
SalesOrderLinePlus.LotEntry
SalesOrderLinePlus.Revision
SalesOrderLinePlus.Release
SalesOrderLinePlus.IsUQP (True or False)
SalesOrderLinePlus.Complete (True or False)
SalesOrderLinePlus.SalesOrder
SalesOrderLinePlus.SalesOrderLine
SalesOrderLinePlus.StockCode
SalesOrderLinePlus.StockDes
SalesOrderLinePlus.Warehouse
SalesOrderLinePlus.OrderQty
SalesOrderLinePlus.OrderQtyUnits
SalesOrderLinePlus.OrderQtyPieces
SalesOrderLinePlus.ShipQty
SalesOrderLinePlus.ShipQtyUnits
SalesOrderLinePlus.ShipQtyPieces
SalesOrderLinePlus.BackOrderQty
SalesOrderLinePlus.BackOrderQtyUnits
SalesOrderLinePlus.BackOrderQtyPieces
SalesOrderLinePlus.OrderUom
SalesOrderLinePlus.StockingUom
SalesOrderLinePlus.LineShipDate
SalesOrderLinePlus.CustRequestDat
SalesOrderLinePlus.PickQuantity
SalesOrderLinePlus.SerialQuantity
SalesOrderLinePlus.SerialNumber

Note: The SalesOrderLinePlus items are used when the bin or lot detail buttons are used (version 6.44.1.5 and above). A print job will be generated for each item being picked.

7.19 Purchase Order Receipt & PO Receipt All

Legacy Variable Names:

PurchaseOrder.GRN
PurchaseOrder.PurchaseOrderID
PurchaseOrder.Supplier
PurchaseOrder.SupplierName
PurchaseOrder.OrderStatus
PurchaseOrder.OrderEntryDate
PurchaseOrder.OrderDueDate
PurchaseOrder.OrderType
PurchaseOrder.Count
PurchaseOrder.Journal
PurchaseOrderLine.ConvFactOrdUm
PurchaseOrderLine.MulDivAlloc
PurchaseOrderLine.DueDate
PurchaseOrderLine.SupplierCatalog
PurchaseOrderLine.DeliveryNote
PurchaseOrderLine.PurchaseOrder
PurchaseOrderLine.Cost
PurchaseOrderLine.ReceiptIntoText
PurchaseOrderLine.ExpiryDate

PurchaseOrderLine.CostBasis
 PurchaseOrderLine.CompleteLine (True or False)
 PurchaseOrderLine.SampleQty (True or False)
 PurchaseOrderLine.Note
 PurchaseOrderLine.Reference
 PurchaseOrderLine.BinLocation
 PurchaseOrderLine.Lot
 PurchaseOrderLine.ProductClass
 PurchaseOrderLine.QtyToReceive
 PurchaseOrderLine.ReceivedQtyUnits
 PurchaseOrderLine.ReceivedQtyPieces
 PurchaseOrderLine.OutstandingQtyUnits
 PurchaseOrderLine.OutstandingQtyPieces
 PurchaseOrderLine.OrderQtyUnits
 PurchaseOrderLine.OrderQtyPieces
 PurchaseOrderLine.Warehouse
 PurchaseOrderLine.ReceiptIntoFlag
 PurchaseOrderLine.Job
 PurchaseOrderLine.Price
 PurchaseOrderLine.TraceableType
 PurchaseOrderLine.OrderLine
 PurchaseOrderLine.OrderLineSort
 PurchaseOrderLine.StockCode
 PurchaseOrderLine.OutstandingQty
 PurchaseOrderLine.ReceivedQty
 PurchaseOrderLine.OrderQty
 PurchaseOrderLine.OrderUom
 PurchaseOrderLine.StockDescription
 PurchaseOrderLine.Comments
 PurchaseOrderLine.IsUQP (True or False)
 PurchaseOrderLine.SalesOrder
 PurchaseOrderLine.SalesOrderBackOrderQty
 PurchaseOrderLine.SalesOrderCurrency
 PurchaseOrderLine.SalesOrderCustRequestDat
 PurchaseOrderLine.SalesOrderLine
 PurchaseOrderLine.SalesOrderLineShipDate
 PurchaseOrderLine.SalesOrderPrice
 PurchaseOrderLine.SalesOrderPriceCode
 PurchaseOrderLine.SalesOrderPriceUom
 PurchaseOrderLine.SalesOrderProductClass
 PurchaseOrderLine.SalesOrderQty
 PurchaseOrderLine.SalesOrderQtyDispatched
 PurchaseOrderLine.SalesOrderShipQty
 PurchaseOrderLine.SalesOrderStockingUom
 PurchaseOrderLine.SalesOrderStockQtyToShp
 PurchaseOrderLine.SalesOrderStockUnitMass
 PurchaseOrderLine.SalesOrderStockUnitVol
 PurchaseOrderLine.SalesOrderTaxCode
 PurchaseOrderLine.SalesOrderUom

New Variable Names:

Note: A print job will be generated for each item being received.

PurchaseOrderLinePlus.ReceivedIntoInspection (True or False)
 PurchaseOrderLinePlus.ConvFactOrdUm
 PurchaseOrderLinePlus.MulDivAlloc
 PurchaseOrderLinePlus.SupplierCatalog
 PurchaseOrderLinePlus.DeliveryNote
 PurchaseOrderLinePlus.PurchaseOrder
 PurchaseOrderLinePlus.Cost
 PurchaseOrderLinePlus.ReceiptIntoText (Inventory or Inspection)
 PurchaseOrderLinePlus.ReceivedIntoInspection (True or False)
 PurchaseOrderLinePlus.ExpiryDate
 PurchaseOrderLinePlus.CostBasis
 PurchaseOrderLinePlus.CompleteLine
 PurchaseOrderLinePlus.SampleQty
 PurchaseOrderLinePlus.Note
 PurchaseOrderLinePlus.Reference
 PurchaseOrderLinePlus.BinLocation

PurchaseOrderLinePlus.Lot
 PurchaseOrderLinePlus.ProductClass
 PurchaseOrderLinePlus.QtyToReceive
 PurchaseOrderLinePlus.ReceivedQtyUnits
 PurchaseOrderLinePlus.ReceivedQtyPieces
 PurchaseOrderLinePlus.OutstandingQtyUnits
 PurchaseOrderLinePlus.OutstandingQtyPieces
 PurchaseOrderLinePlus.OrderQtyUnits
 PurchaseOrderLinePlus.OrderQtyPieces
 PurchaseOrderLinePlus.Warehouse
 PurchaseOrderLinePlus.ReceiptIntoFlag
 PurchaseOrderLinePlus.Job
 PurchaseOrderLinePlus.Price
 PurchaseOrderLinePlus.TraceableType
 PurchaseOrderLinePlus.OrderLine
 PurchaseOrderLinePlus.StockCode
 PurchaseOrderLinePlus.OutstandingQty
 PurchaseOrderLinePlus.ReceivedQty
 PurchaseOrderLinePlus.OrderQty
 PurchaseOrderLinePlus.OrderUom
 PurchaseOrderLinePlus.StockDescription
 PurchaseOrderLinePlus.Comments
 PurchaseOrderLinePlus.IsUQP
 PurchaseOrderLinePlus.SerialNumber
 PurchaseOrderLinePlus.SerialExpiryDate
 PurchaseOrderLinePlus.SerialLocation
 PurchaseOrderLinePlus.SerialQuantity
 PurchaseOrderLinePlus.SalesOrder
 PurchaseOrderLinePlus.SalesOrderBackOrderQty
 PurchaseOrderLinePlus.SalesOrderCurrency
 PurchaseOrderLinePlus.SalesOrderCustRequestDat
 PurchaseOrderLinePlus.SalesOrderLine
 PurchaseOrderLinePlus.SalesOrderLineShipDate
 PurchaseOrderLinePlus.SalesOrderPrice
 PurchaseOrderLinePlus.SalesOrderPriceCode
 PurchaseOrderLinePlus.SalesOrderPriceUom
 PurchaseOrderLinePlus.SalesOrderProductClass
 PurchaseOrderLinePlus.SalesOrderQty
 PurchaseOrderLinePlus.SalesOrderQtyDispatched
 PurchaseOrderLinePlus.SalesOrderShipQty
 PurchaseOrderLinePlus.SalesOrderStockingUom
 PurchaseOrderLinePlus.SalesOrderStockQtyToShp
 PurchaseOrderLinePlus.SalesOrderStockUnitMass
 PurchaseOrderLinePlus.SalesOrderStockUnitVol
 PurchaseOrderLinePlus.SalesOrderTaxCode
 PurchaseOrderLinePlus.SalesOrderUom

7.20 Goods in Transit In

GITInLine.Journal
 GITInLine.Key.GtrReference
 GITInLine.Key.SourceWarehouse
 GITInLine.Key.TargetWarehouse
 GITInLine.Key.LineNumber
 GITInLine.Quantity
 GITInLine.Units
 GITInLine.Pieces
 GITInLine.ActionBackToSource
 GITInLine.TargetBin
 GITInLine.ExpenseLedgerCode
 GITInLine.PasswordForLedgerCode
 GITInLine.Lot.LotNumber
 GITInLine.Lot.LotBin
 GITInLine.ApplyCostMultiplier
 GITInLine.CostMultiplier

GITInLine.NonMerchandiseCost
GITInLine.Notation

7.21 Goods in Transit Out

GITOutLine.Journal
GITOutLine.GtrReference
GITOutLine.FromWarehouse
GITOutLine.BinLocation
GITOutLine.StockCode
GITOutLine.Version
GITOutLine.Release
GITOutLine.Quantity
GITOutLine.UnitOfMeasure
GITOutLine.Units
GITOutLine.Pieces
GITOutLine.ToWarehouse
GITOutLine.Lot
GITOutLine.Notation

7.22 Order Picking

Printing Picks:

SalesOrderPick.OrderNumber
SalesOrderPick.LineNumber
SalesOrderPick.StockCode
SalesOrderPick.Warehouse
SalesOrderPick.Bin
SalesOrderPick.Lot
SalesOrderPick.Serial
SalesOrderPick.QuantityPicked

Printing Lines or Picks:

SalesOrderLine.LineNumber
SalesOrderLine.MerchandiseLine
SalesOrderLine.OrderNumber
SalesOrderLine.QuantityRequired
SalesOrderLine.OrderQuantity
SalesOrderLine.BackOrderQuantity
SalesOrderLine.AvailableQuantity
SalesOrderLine.OnHandQuantity
SalesOrderLine.AllocatedToSalesQuantity
SalesOrderLine.TotalBackOrderQuantity
SalesOrderLine.FreeQuantity
SalesOrderLine.DefaultBin
SalesOrderLine.StockCode
SalesOrderLine.StockCodeDescription
SalesOrderLine.Warehouse
SalesOrderLine.OrderUnitOfMeasure
SalesOrderLine.StockingUnitOfMeasure
SalesOrderLine.ShipDate
SalesOrderLine.Comments
SalesOrderLine.ConversionFactor
SalesOrderLine.ConversionOperator
SalesOrderLine.CustRequestDat
SalesOrderLine.ShipQty
SalesOrderLine.QtyReserved
SalesOrderLine.QtyReservedShip
SalesOrderLine.Complete
SalesOrderLine.QuantityOutstanding
SalesOrderLine.SalesOrderLine
SalesOrderLine.SalesOrderInitLine
SalesOrderLine.LongDesc
SalesOrderLine.ProductClass
SalesOrderLine.CusSupStkCode

SalesOrderLine.Description
 SalesOrderLine.StockUnitMass
 SalesOrderLine.StockUnitVol
 SalesOrderLine.Price
 SalesOrderLine.PriceUom
 SalesOrderLine.PriceCode
 SalesOrderLine.UnitCost
 SalesOrderLine.TaxCode
 SalesOrderLine.CreditReason
 SalesOrderLine.DiscValFlag
 SalesOrderLine.DiscPct1
 SalesOrderLine.DiscPct2
 SalesOrderLine.DiscPct3
 SalesOrderLine.OrderLineValue

 SalesOrderPickList.AlternateKey
 SalesOrderPickList.Area
 SalesOrderPickList.Branch
 SalesOrderPickList.Branch_Description
 SalesOrderPickList.CompanyTaxNo
 SalesOrderPickList.ConsolidatedOrder
 SalesOrderPickList.CounterSalesFlag
 SalesOrderPickList.CountyZip
 SalesOrderPickList.CreditedInvDate
 SalesOrderPickList.Currency
 SalesOrderPickList.Customer
 SalesOrderPickList.CustomerName
 SalesOrderPickList.CustomerPoNumber
 SalesOrderPickList.DateLastInvPrt
 SalesOrderPickList.DeliveryNote
 SalesOrderPickList.DeliveryTerms
 SalesOrderPickList.DepositFlag
 SalesOrderPickList.Description
 SalesOrderPickList.Description2
 SalesOrderPickList.Description3
 SalesOrderPickList.DiscPct1
 SalesOrderPickList.DiscPct2
 SalesOrderPickList.DiscPct3
 SalesOrderPickList.DocumentType
 SalesOrderPickList.EdiSource
 SalesOrderPickList.EntInvoice
 SalesOrderPickList.ExchangeRate
 SalesOrderPickList.ExtendedTaxCode
 SalesOrderPickList.FixExchangeRate
 SalesOrderPickList.GstDeduction
 SalesOrderPickList.GstExemptNum
 SalesOrderPickList.GtrReference
 SalesOrderPickList.HeaderText
 SalesOrderPickList.HierarchyFlag
 SalesOrderPickList.InterWhSale
 SalesOrderPickList.InvTermsOverride
 SalesOrderPickList.Job
 SalesOrderPickList.JobsExistFlag
 SalesOrderPickList.LastDelNote
 SalesOrderPickList.LastInvoice
 SalesOrderPickList.LastOperator
 SalesOrderPickList.MulDiv
 SalesOrderPickList.MultShipCode
 SalesOrderPickList.Nationality
 SalesOrderPickList.Operator
 SalesOrderPickList.OrderDate
 SalesOrderPickList.OrderStatus
 SalesOrderPickList.OrderType
 SalesOrderPickList.ProcessFlag
 SalesOrderPickList.Quote
 SalesOrderPickList.RegShipDate
 SalesOrderPickList.SalesOrder
 SalesOrderPickList.SalesPerson
 SalesOrderPickList.ScheduledOrdFlag
 SalesOrderPickList.SerialisedFlag
 SalesOrderPickList.ShipAddress1

SalesOrderPickList.ShipAddress2
SalesOrderPickList.ShipAddress3
SalesOrderPickList.ShipAddress4
SalesOrderPickList.ShipAddress5
SalesOrderPickList.ShippingInstrs
SalesOrderPickList.ShipPostalCode
SalesOrderPickList.SourceWarehouse
SalesOrderPickList.SpecialInstrs
SalesOrderPickList.State
SalesOrderPickList.TargetWarehouse
SalesOrderPickList.TaxExemptNumber
SalesOrderPickList.TimeDelPrtdHh
SalesOrderPickList.TimeDelPrtdMm
SalesOrderPickList.TimeInvPrtdHh
SalesOrderPickList.TimeInvPrtdMm
SalesOrderPickList.TransactionNature
SalesOrderPickList.TransportMode
SalesOrderPickList.WebCreated

SalesOrderHeader.SalesOrder
SalesOrderHeader.DocumentType
SalesOrderHeader.InterWhSale
SalesOrderHeader.SourceWarehouse
SalesOrderHeader.TargetWarehouse
SalesOrderHeader.GtrReference
SalesOrderHeader.Customer
SalesOrderHeader.CustomerName
SalesOrderHeader.Salesperson
SalesOrderHeader.ScheduledOrdFlag
SalesOrderHeader.DiscPct1
SalesOrderHeader.DiscPct2
SalesOrderHeader.DiscPct3
SalesOrderHeader.Name
SalesOrderHeader.OrderStatus
SalesOrderHeader.CustomerPoNumber
SalesOrderHeader.OrderDate
SalesOrderHeader.RegShipDate
SalesOrderHeader.ShippingInstrs
SalesOrderHeader.SpecialInstrs
SalesOrderHeader.InvTermsOverride
SalesOrderHeader.DeliveryNote
SalesOrderHeader.LastDelNote
SalesOrderHeader.TimeDelPrtdHh
SalesOrderHeader.TimeDelPrtdMm
SalesOrderHeader.LastInvoice
SalesOrderHeader.DateLastInvPrt
SalesOrderHeader.TimeInvPrtdHh
SalesOrderHeader.TimeInvPrtdMm
SalesOrderHeader.Description
SalesOrderHeader.Branch
SalesOrderHeader.Branch_Description
SalesOrderHeader.EntInvoice
SalesOrderHeader.OrderType
SalesOrderHeader.Area
SalesOrderHeader.Description2
SalesOrderHeader.TaxExemptNumber
SalesOrderHeader.GstExemptNum
SalesOrderHeader.Currency
SalesOrderHeader.Description3
SalesOrderHeader.ShipAddress1
SalesOrderHeader.ShipAddress2
SalesOrderHeader.ShipAddress3
SalesOrderHeader.ShipAddress4
SalesOrderHeader.ShipAddress5
SalesOrderHeader.ShipPostalCode
SalesOrderHeader.FixExchangeRate
SalesOrderHeader.ExchangeRate
SalesOrderHeader.MulDiv
SalesOrderHeader.ConsolidatedOrder
SalesOrderHeader.GstDeduction
SalesOrderHeader.CreditedInvDate

SalesOrderHeader.Job
 SalesOrderHeader.SerialisedFlag
 SalesOrderHeader.CounterSalesFlag
 SalesOrderHeader.Nationality
 SalesOrderHeader.DeliveryTerms
 SalesOrderHeader.TransactionNature
 SalesOrderHeader.TransportMode
 SalesOrderHeader.ProcessFlag
 SalesOrderHeader.JobsExistFlag
 SalesOrderHeader.AlternateKey
 SalesOrderHeader.HierarchyFlag
 SalesOrderHeader.DepositFlag
 SalesOrderHeader.EdiSource
 SalesOrderHeader.MultShipCode
 SalesOrderHeader.CompanyTaxNo
 SalesOrderHeader.LastOperator
 SalesOrderHeader.Operator
 SalesOrderHeader.State
 SalesOrderHeader.CountyZip
 SalesOrderHeader.ExtendedTaxCode
 SalesOrderHeader.WebCreated
 SalesOrderHeader.Quote
 SalesOrderHeader.HeaderNotes

 DispatchNoteHeader.DispatchNote
 DispatchNoteHeader.NextDetailLine
 DispatchNoteHeader.ShippingInstrs
 DispatchNoteHeader.SpecialInstrs
 DispatchNoteHeader.DispatchComments1
 DispatchNoteHeader.DispatchComments2
 DispatchNoteHeader.DispatchComments3
 DispatchNoteHeader.DispatchComments4
 DispatchNoteHeader.UserField1
 DispatchNoteHeader.UserField2
 DispatchNoteHeader.Salesperson
 DispatchNoteHeader.Branch
 DispatchNoteHeader.Area
 DispatchNoteHeader.MulDiv
 DispatchNoteHeader.Currency
 DispatchNoteHeader.DiscPct1
 DispatchNoteHeader.DiscPct2
 DispatchNoteHeader.DiscPct3
 DispatchNoteHeader.OrderType
 DispatchNoteHeader.InvTermsOverride
 DispatchNoteHeader.ReprintFormat
 DispatchNoteHeader.TaxExemptFlag
 DispatchNoteHeader.TaxExemptOverride
 DispatchNoteHeader.DispatchName
 DispatchNoteHeader.PlannedDeliverDate
 DispatchNoteHeader.ActualDeliveryDate
 DispatchNoteHeader.ShipAddressFlag
 DispatchNoteHeader.CustomerPoNumber
 DispatchNoteHeader.CompanyTaxNo
 DispatchNoteHeader.Invoice
 DispatchNoteHeader.InvoiceCreatedDate
 DispatchNoteHeader.ConsolidateInvFlag
 DispatchNoteHeader.TaxExemptNumber
 DispatchNoteHeader.DispatchNoteStatus
 DispatchNoteHeader.PrevStatus
 DispatchNoteHeader.Reason
 DispatchNoteHeader.StatusWhenHeld
 DispatchNoteHeader.Nationality
 DispatchNoteHeader.DeliveryTerms
 DispatchNoteHeader.TransactionNature
 DispatchNoteHeader.TransportMode
 DispatchNoteHeader.ProcessFlag
 DispatchNoteHeader.DispatchCustName
 DispatchNoteHeader.DispatchAddress1
 DispatchNoteHeader.DispatchAddress2
 DispatchNoteHeader.DispatchAddress3
 DispatchNoteHeader.DispatchAddress4

```

DispatchNoteHeader.DispatchAddress5
DispatchNoteHeader.DispatchPostalCode
DispatchNoteHeader.State
DispatchNoteHeader.CountyZip
DispatchNoteHeader.ExtendedTaxCode
DispatchNoteHeader.Quote
DispatchNoteHeader.GtrReference
DispatchNoteHeader.LastOperator
DispatchNoteHeader.Email
DispatchNoteHeader.CreditAuthority
DispatchNoteHeader.SalesOrder
DispatchNoteHeader.Customer
DispatchNoteHeader.CustomerName
DispatchNoteHeader.FixExchangeRate

```

7.23 Generate Dispatch

Printing Picks:

```

SalesOrderPick.OrderNumber
SalesOrderPick.LineNumber
SalesOrderPick.StockCode
SalesOrderPick.Warehouse
SalesOrderPick.Bin
SalesOrderPick.Lot
SalesOrderPick.Serial
SalesOrderPick.QuantityPicked
SalesOrderPick.DispatchNoteNumber

```

Printing Lines or Picks:

```

SalesOrderLine.LineNumber
SalesOrderLine.MerchandiseLine
SalesOrderLine.OrderNumber
SalesOrderLine.DispatchNoteNumber
SalesOrderLine.OrderQuantity
SalesOrderLine.QuantityRequired
SalesOrderLine.BackOrderQuantity
SalesOrderLine.AvailableQuantity
SalesOrderLine.OnHandQuantity
SalesOrderLine.AllocatedToSalesQuantity
SalesOrderLine.TotalBackOrderQuantity
SalesOrderLine.FreeQuantity
SalesOrderLine.DefaultBin
SalesOrderLine.StockCode
SalesOrderLine.StockCodeDescription
SalesOrderLine.Warehouse
SalesOrderLine.OrderUnitOfMeasure
SalesOrderLine.StockingUnitOfMeasure
SalesOrderLine.ShipDate
SalesOrderLine.Comments
SalesOrderLine.ConversionFactor
SalesOrderLine.ConversionOperator
SalesOrderLine.CustRequestDat
SalesOrderLine.ShipQty
SalesOrderLine.QtyReserved
SalesOrderLine.QtyReservedShip
SalesOrderLine.Complete
SalesOrderLine.QuantityOutstanding
SalesOrderLine.SalesOrderLine
SalesOrderLine.SalesOrderInitLine
SalesOrderLine.LongDesc
SalesOrderLine.ProductClass
SalesOrderLine.CusSupStkCode
SalesOrderLine.Description
SalesOrderLine.StockUnitMass
SalesOrderLine.StockUnitVol

```

SalesOrderLine.Price
 SalesOrderLine.PriceUom
 SalesOrderLine.PriceCode
 SalesOrderLine.UnitCost
 SalesOrderLine.TaxCode
 SalesOrderLine.CreditReason
 SalesOrderLine.DiscValFlag
 SalesOrderLine.DiscPct1
 SalesOrderLine.DiscPct2
 SalesOrderLine.DiscPct3
 SalesOrderLine.OrderLineValue

 SalesOrderPickList.AlternateKey
 SalesOrderPickList.Area
 SalesOrderPickList.Branch
 SalesOrderPickList.Branch_Description
 SalesOrderPickList.CompanyTaxNo
 SalesOrderPickList.ConsolidatedOrder
 SalesOrderPickList.CounterSalesFlag
 SalesOrderPickList.CountyZip
 SalesOrderPickList.CreditedInvDate
 SalesOrderPickList.Currency
 SalesOrderPickList.Customer
 SalesOrderPickList.CustomerName
 SalesOrderPickList.CustomerPoNumber
 SalesOrderPickList.DateLastInvPrt
 SalesOrderPickList.DeliveryNote
 SalesOrderPickList.DeliveryTerms
 SalesOrderPickList.DepositFlag
 SalesOrderPickList.Description
 SalesOrderPickList.Description2
 SalesOrderPickList.Description3
 SalesOrderPickList.DiscPct1
 SalesOrderPickList.DiscPct2
 SalesOrderPickList.DiscPct3
 SalesOrderPickList.DocumentType
 SalesOrderPickList.EdiSource
 SalesOrderPickList.EntInvoice
 SalesOrderPickList.ExchangeRate
 SalesOrderPickList.ExtendedTaxCode
 SalesOrderPickList.FixExchangeRate
 SalesOrderPickList.GstDeduction
 SalesOrderPickList.GstExemptNum
 SalesOrderPickList.GtrReference
 SalesOrderPickList.HeaderText
 SalesOrderPickList.HierarchyFlag
 SalesOrderPickList.InterWhSale
 SalesOrderPickList.InvTermsOverride
 SalesOrderPickList.Job
 SalesOrderPickList.JobsExistFlag
 SalesOrderPickList.LastDelNote
 SalesOrderPickList.LastInvoice
 SalesOrderPickList.LastOperator
 SalesOrderPickList.MulDiv
 SalesOrderPickList.MultShipCode
 SalesOrderPickList.Nationality
 SalesOrderPickList.Operator
 SalesOrderPickList.OrderDate
 SalesOrderPickList.OrderStatus
 SalesOrderPickList.OrderType
 SalesOrderPickList.ProcessFlag
 SalesOrderPickList.Quote
 SalesOrderPickList.RegShipDate
 SalesOrderPickList.SalesOrder
 SalesOrderPickList.SalesPerson
 SalesOrderPickList.ScheduledOrdFlag
 SalesOrderPickList.SerialisedFlag
 SalesOrderPickList.ShipAddress1
 SalesOrderPickList.ShipAddress2
 SalesOrderPickList.ShipAddress3
 SalesOrderPickList.ShipAddress4

SalesOrderPickList.ShipAddress5
SalesOrderPickList.ShippingInstrs
SalesOrderPickList.ShipPostalCode
SalesOrderPickList.SourceWarehouse
SalesOrderPickList.SpecialInstrs
SalesOrderPickList.State
SalesOrderPickList.TargetWarehouse
SalesOrderPickList.TaxExemptNumber
SalesOrderPickList.TimeDelPrtdHh
SalesOrderPickList.TimeDelPrtdMm
SalesOrderPickList.TimeInvPrtdHh
SalesOrderPickList.TimeInvPrtdMm
SalesOrderPickList.TransactionNature
SalesOrderPickList.TransportMode
SalesOrderPickList.WebCreated

7.24 Packing

Printing Picks:

SalesOrderPick.OrderNumber
SalesOrderPick.LineNumber
SalesOrderPick.StockCode
SalesOrderPick.Warehouse
SalesOrderPick.Lot
SalesOrderPick.Serial
SalesOrderPick.QuantityPicked

Printing Lines or Picks:

SalesOrderLine.LineNumber
SalesOrderLine.MerchandiseLine
SalesOrderLine.OrderNumber
SalesOrderLine.QuantityRequired
SalesOrderLine.OrderQuantity
SalesOrderLine.BackOrderQuantity
SalesOrderLine.AvailableQuantity
SalesOrderLine.OnHandQuantity
SalesOrderLine.AllocatedToSalesQuantity
SalesOrderLine.TotalBackOrderQuantity
SalesOrderLine.FreeQuantity
SalesOrderLine.DefaultBin
SalesOrderLine.StockCode
SalesOrderLine.StockCodeDescription
SalesOrderLine.Warehouse
SalesOrderLine.OrderUnitOfMeasure
SalesOrderLine.StockingUnitOfMeasure
SalesOrderLine.ShipDate
SalesOrderLine.Comments
SalesOrderLine.ConversionFactor
SalesOrderLine.ConversionOperator
SalesOrderLine.CustRequestDat
SalesOrderLine.ShipQty
SalesOrderLine.QtyReserved
SalesOrderLine.QtyReservedShip
SalesOrderLine.Complete
SalesOrderLine.QuantityOutstanding
SalesOrderLine.SalesOrderLine
SalesOrderLine.SalesOrderInitLine
SalesOrderLine.LongDesc
SalesOrderLine.ProductClass
SalesOrderLine.CusSupStkCode
SalesOrderLine.Description
SalesOrderLine.StockUnitMass
SalesOrderLine.StockUnitVol
SalesOrderLine.Price
SalesOrderLine.PriceUom
SalesOrderLine.PriceCode

SalesOrderLine.UnitCost
 SalesOrderLine.TaxCode
 SalesOrderLine.CreditReason
 SalesOrderLine.DiscValFlag
 SalesOrderLine.DiscPct1
 SalesOrderLine.DiscPct2
 SalesOrderLine.DiscPct3
 SalesOrderLine.OrderLineValue

 SalesOrderPickList.AlternateKey
 SalesOrderPickList.Area
 SalesOrderPickList.Branch
 SalesOrderPickList.Branch_Description
 SalesOrderPickList.CompanyTaxNo
 SalesOrderPickList.ConsolidatedOrder
 SalesOrderPickList.CounterSalesFlag
 SalesOrderPickList.CountyZip
 SalesOrderPickList.CreditedInvDate
 SalesOrderPickList.Currency
 SalesOrderPickList.Customer
 SalesOrderPickList.CustomerName
 SalesOrderPickList.CustomerPoNumber
 SalesOrderPickList.DateLastInvPrt
 SalesOrderPickList.DeliveryNote
 SalesOrderPickList.DeliveryTerms
 SalesOrderPickList.DepositFlag
 SalesOrderPickList.Description
 SalesOrderPickList.Description2
 SalesOrderPickList.Description3
 SalesOrderPickList.DiscPct1
 SalesOrderPickList.DiscPct2
 SalesOrderPickList.DiscPct3
 SalesOrderPickList.DocumentType
 SalesOrderPickList.EdiSource
 SalesOrderPickList.EntInvoice
 SalesOrderPickList.ExchangeRate
 SalesOrderPickList.ExtendedTaxCode
 SalesOrderPickList.FixExchangeRate
 SalesOrderPickList.GstDeduction
 SalesOrderPickList.GstExemptNum
 SalesOrderPickList.GtrReference
 SalesOrderPickList.HeaderText
 SalesOrderPickList.HierarchyFlag
 SalesOrderPickList.InterWhSale
 SalesOrderPickList.InvTermsOverride
 SalesOrderPickList.Job
 SalesOrderPickList.JobsExistFlag
 SalesOrderPickList.LastDelNote
 SalesOrderPickList.LastInvoice
 SalesOrderPickList.LastOperator
 SalesOrderPickList.MulDiv
 SalesOrderPickList.MultShipCode
 SalesOrderPickList.Nationality
 SalesOrderPickList.Operator
 SalesOrderPickList.OrderDate
 SalesOrderPickList.OrderStatus
 SalesOrderPickList.OrderType
 SalesOrderPickList.ProcessFlag
 SalesOrderPickList.Quote
 SalesOrderPickList.RegShipDate
 SalesOrderPickList.SalesOrder
 SalesOrderPickList.SalesPerson
 SalesOrderPickList.ScheduledOrdFlag
 SalesOrderPickList.SerialisedFlag
 SalesOrderPickList.ShipAddress1
 SalesOrderPickList.ShipAddress2
 SalesOrderPickList.ShipAddress3
 SalesOrderPickList.ShipAddress4
 SalesOrderPickList.ShipAddress5
 SalesOrderPickList.ShippingInstrs
 SalesOrderPickList.ShipPostalCode

SalesOrderPickList.SourceWarehouse
SalesOrderPickList.SpecialInstrs
SalesOrderPickList.State
SalesOrderPickList.TargetWarehouse
SalesOrderPickList.TaxExemptNumber
SalesOrderPickList.TimeDelPrtedHh
SalesOrderPickList.TimeDelPrtedMm
SalesOrderPickList.TimeInvPrtedHh
SalesOrderPickList.TimeInvPrtedMm
SalesOrderPickList.TransactionNature
SalesOrderPickList.TransportMode
SalesOrderPickList.WebCreated

7.25 Job Receipt

Job.Job
Job.JobDescription
Job.SalesOrder
Job.StockCode
Job.StockDescription
Job.Warehouse
Job.QtyToMake
Job.QtyManufactured
Job.JobStartDate
Job.JobDeliveryDate
Job.Complete (True or False)
Job.ConfirmedFlag (True or False)
Job.WipCtlGlCode
Job.WIPJobAllocationCount
Job.Customer
Job.CustomerName
JobReceipt.LedgerCode
JobReceipt.PasswordForLedgerCode
JobReceipt.Quantity
JobReceipt.InspectionFlag
JobReceipt.CostBasis
JobReceipt.ReceiptCost
JobReceipt.UseSingleTypeABCElements
JobReceipt.MaterialDistributionValue
JobReceipt.LaborDistributionValue
JobReceipt.JobComplete
JobReceipt.Reference
JobReceipt.Notation
JobReceipt.IncreaseSalesOrderQuantity
JobReceipt.SalesOrderComplete
JobReceipt.Lot
JobReceipt.LotConcession
JobReceipt.LotExpiryDate
JobReceipt.BinLocation
JobReceipt.WipInspectionReference
JobReceipt.WipInspectionNarration
JobReceipt.AddReference
JobReceipt.MaterialReference
JobReceipt.SerialNumber
JobReceipt.SerialQuantity
JobReceipt.SerialExpiryDate
JobReceipt.SerialLocation

7.26 Backflushing

BackFlushingItem.ParentJournal
BackFlushingItem.Warehouse
BackFlushingItem.StockCode
BackFlushingItem.Version
BackFlushingItem.Release
BackFlushingItem.Quantity


```

BackFlushingItem.UnitOfMeasure
BackFlushingItem.Units
BackFlushingItem.Pieces
BackFlushingItem.Lot
BackFlushingItem.LotExpiry
BackFlushingItem.UseSingleTypeABCElements
BackFlushingItem.Bins.BinLocation
BackFlushingItem.Bins.BinQuantity
BackFlushingItem.Bins.BinUnits
BackFlushingItem.Bins.BinPieces
BackFlushingItem.Reference
BackFlushingItem.Notation
BackFlushingItem.RouteToUse
BackFlushingItem.IncludeSetUpTime
BackFlushingItem.IncludeStartUpTime
BackFlushingItem.IncludeTearDownTime
BackFlushingItem.Job

```

NOTE: The following variables can be used when using a serialized item

```

SerialItem.SerialNumber
SerialItem.SerialQuantity
SerialItem.SerialExpiryDate
SerialItem.SerialLocation

```

7.27 Job Issue

```

Job.Job
Job.JobDescription
Job.StockCode
Job.StockDescription
Job.Warehouse
Job.QtyToMake
Job.QtyManufactured
Job.JobStartDate
Job.JobDeliveryDate
Job.Complete (True or False)
Job.ConfirmedFlag (True or False)
Job.WipCtlGlCode
JobIssue.Decimals
JobIssue.Selected (True or False)
JobIssue.OutstandingQuantity
JobIssue.OperationOffset
JobIssue.OpOffsetFlag
JobIssue.SequenceNum
JobIssue.Uom
JobIssue.TotalQtyReqd
JobIssue.StockDescription
JobIssue.NonStockedFlag
JobIssue.Warehouse
JobIssue.StockCode
JobIssue.Line
JobIssue.QtyIssued
JobIssue.QuantityToIssue
JobIssue.Reference
JobIssue.Notation
JobIssue.LedgerCode
JobIssue.ProductClass
JobIssue.UnitCost
JobIssue.AllocCompleted (True or False)
JobIssue.FifoBucket
JobIssue.Bin
JobIssue.Lot
JobIssue.LotConcession
JobIssue.MaterialReference
JobIssue.Version
JobIssue.Release
JobIssue.NarrationLine1

```

7.28 Kit Issue

Job.Job
Job.JobDescription
Job.StockCode
Job.StockDescription
Job.Warehouse
Job.QtyToMake
Job.QtyManufactured
Job.JobStartDate
Job.JobDeliveryDate
Job.Complete (True or False)
Job.ConfirmedFlag (True or False)
Job.WipCtlGlCode
Job.WIPJobAllocationCount
KitIssue.Count

7.29 Dispatch Note

DispatchNotes.DispatchNote
DispatchNotes.NextDetailLine
DispatchNotes.ShippingInstrs
DispatchNotes.SpecialInstrs
DispatchNotes.DispatchComments1
DispatchNotes.DispatchComments2
DispatchNotes.DispatchComments3
DispatchNotes.DispatchComments4
DispatchNotes.UserField1
DispatchNotes.UserField2
DispatchNotes.Salesperson
DispatchNotes.Branch
DispatchNotes.Area
DispatchNotes.MulDiv
DispatchNotes.Currency
DispatchNotes.DiscPct1
DispatchNotes.DiscPct2
DispatchNotes.DiscPct3
DispatchNotes.OrderType
DispatchNotes.InvTermsOverride
DispatchNotes.ReprintFormat
DispatchNotes.TaxExemptFlag
DispatchNotes.TaxExemptOverride
DispatchNotes.DispatchName
DispatchNotes.PlannedDeliverDate
DispatchNotes.ActualDeliveryDate
DispatchNotes.ShipAddressFlag
DispatchNotes.CustomerPoNumber
DispatchNotes.CompanyTaxNo
DispatchNotes.Invoice
DispatchNotes.InvoiceCreatedDate
DispatchNotes.ConsolidateInvFlag
DispatchNotes.TaxExemptNumber
DispatchNotes.DispatchNoteStatus
DispatchNotes.PrevStatus
DispatchNotes.Reason
DispatchNotes.StatusWhenHeld
DispatchNotes.Nationality
DispatchNotes.DeliveryTerms
DispatchNotes.TransactionNature
DispatchNotes.TransportMode
DispatchNotes.ProcessFlag
DispatchNotes.DispatchCustName
DispatchNotes.DispatchAddress1
DispatchNotes.DispatchAddress2
DispatchNotes.DispatchAddress3
DispatchNotes.DispatchAddress4
DispatchNotes.DispatchAddress5
DispatchNotes.DispatchPostalCode

```
DispatchNotes.State  
DispatchNotes.CountyZip  
DispatchNotes.ExtendedTaxCode  
DispatchNotes.MultiShipCode  
DispatchNotes.Quote  
DispatchNotes.GtrReference  
DispatchNotes.LastOperator  
DispatchNotes.Email  
DispatchNotes.CreditAuthority  
DispatchNotes.SalesOrder  
DispatchNotes.Customer  
DispatchNotes.CustomerName  
DispatchNotes.FixExchangeRate  
DispatchNotes.Completed (True or False)  
DispatchNotes.Comments
```

7.30 Expense Issue

```
ExpenseIssueItem.Journal  
ExpenseIssueItem.Warehouse  
ExpenseIssueItem.StockCode  
ExpenseIssueItem.Version  
ExpenseIssueItem.Release  
ExpenseIssueItem.Quantity  
ExpenseIssueItem.UnitOfMeasure  
ExpenseIssueItem.Units  
ExpenseIssueItem.Pieces  
ExpenseIssueItem.BinLocation  
ExpenseIssueItem.FifoBucket  
ExpenseIssueItem.Lot  
ExpenseIssueItem.Reference  
ExpenseIssueItem.Notation  
ExpenseIssueItem.LedgerCode
```

7.31 Ad Hoc Printing

```
AdHoc.Warehouse  
AdHoc.StockCode  
AdHoc.Bin  
AdHoc.Lot  
AdHoc.Quantity  
AdHoc.Units  
AdHoc.Pieces  
AdHoc.Version  
AdHoc.Release  
AdHoc.Reference  
AdHoc.Note  
AdHoc.ExpiryDate
```

NOTE: The following variables can be used when using a serialized item

```
SerialItem.SerialNumber  
SerialItem.SerialQuantity  
SerialItem.SerialExpiryDate  
SerialItem.SerialLocation
```

7.32 Receipt From Inspection

```
Accept.Journal  
Accept.GRNNumber  
Accept.Lot  
Accept.LotExpiryDate  
Accept.Quantity  
Accept.UnitOfMeasure
```

Accept.Units
 Accept.Pieces
 Accept.DeliveryNote
 Accept.Concession
 Accept.Cost
 Accept.CostBasis
 Accept.Reference
 Accept.GRNSource
 Accept.UseSingleTypeABCElements
 Accept.Bins[].BinLocation
 Accept.Bins[].BinQuantity
 Accept.Bins[].BinUnits
 Accept.Bins[].BinPieces
 Accept.SelectAvailableSerials
 Accept.Serials[].SerialNumber
 Accept.Serials[].SerialQuantity
 Accept.Serials[].SerialUnits
 Accept.Serials[].SerialPieces
 Accept.Serials[].SerialExpiryDate
 Accept.Serials[].SerialLocation
 Accept.IncreaseSalesOrderQuantity
 Accept.ChangeSalesOrderStatus
 Accept.ApplyCostMultiplier
 Accept.CostMultiplier
 Accept.NonMerchandiseCost
 Accept.NonMerchandiseDistribution[].NmReference
 Accept.NonMerchandiseDistribution[].NmLedgerCode
 Accept.NonMerchandiseDistribution[].NmSupplier
 Accept.NonMerchandiseDistribution[].NmAmount
 Accept.Notation
 Accept.LedgerCode
 Accept.PasswordForLedgerCode
 Accept.DebitLedgerCode
 Accept.PasswordForDebitLedgerCode
 Accept.CountryOfOrigin
 Accept.DeliveryTerms
 Accept.NatureOfTransaction
 Accept.ModeOfTransport
 Accept.TradersReference
 Accept.TariffCode
 Accept.UnitMass
 Accept.StockCode
 Accept.SupplementaryUnits

 Count.GRNNumber
 Count.Quantity
 Count.UnitOfMeasure
 Count.Units
 Count.Pieces
 Count.CountCompleted
 Count.Serials[].SerialNumber
 Count.Serials[].SerialQuantity
 Count.Serials[].SerialUnits
 Count.Serials[].SerialPieces

 Inspection.GRNNumber
 Inspection.Quantity
 Inspection.UnitOfMeasure
 Inspection.Units
 Inspection.Pieces
 Inspection.Document
 Inspection.InspectionCompleted

 Reject.GRNNumber
 Reject.Quantity
 Reject.UnitOfMeasure
 Reject.Units
 Reject.Pieces
 Reject.Document
 Reject.RejectCode
 Reject.Narration

```

Reject.ReturnToSupplier
Reject.Supplier
Reject.SelectAvailableSerials
Reject.Serials[].SerialNumber
Reject.Serials[].SerialQuantity
Reject.Serials[].SerialUnits
Reject.Serials[].SerialPieces

Return.GRNNumber
Return.Quantity
Return.UnitOfMeasure
Return.Units
Return.Pieces
Return.Document
Return.ReturnFromSupplier
Return.SelectAvailableSerials
Return.Serials[].SerialNumber
Return.Serials[].SerialQuantity
Return.Serials[].SerialUnits
Return.Serials[].SerialPieces

Scrap.GRNNumber
Scrap.Quantity
Scrap.UnitOfMeasure
Scrap.Units
Scrap.Pieces
Scrap.Document
Scrap.RejectCode
Scrap.Narration
Scrap.PaySupplierForScrappedItems
Scrap.LedgerCode
Scrap.PasswordForLedgerCode
Scrap.CostBasis
Scrap.Cost
Scrap.GrnSource
Scrap.SelectAvailableSerials
Scrap.Serials[].SerialNumber
Scrap.Serials[].SerialQuantity
Scrap.Serials[].SerialUnits
Scrap.Serials[].SerialPieces

```

7.33 WIP Receipt From Inspection

```

Accept.AcceptAsAlternateStock
Accept.AcceptIntoAlternateBin
Accept.AcceptIntoAlternateWarehouse
Accept.AcceptQuantity
Accept.AlternateWarehouse
Accept.AlternateBin
Accept.AlternateStockCode
Accept.Concession
Accept.IncreaseSalesOrderQuantity
Accept.InspectionReference
Accept.Journal
Accept.LedgerCode
Accept.Lot
Accept.LotExpiryDate
Accept.Notation
Accept.SalesOrderComplete
Accept.SelectAvailableSerials
Accept.SerialRange.SerialPrefix
Accept.SerialRange.SerialSuffix
Accept.SerialRange.StartSerialNumber
Accept.SerialRange.SerialQuantity
Accept.SerialRange.SerialExpiryDate
Accept.SerialRange.SerialLocation
Accept.Serials.SerialNumber
Accept.Serials.SerialQuantity
Accept.Serials.SerialExpiryDate

```

Accept.Serials.SerialLocation
Accept.SetAllocationComplete
Accept.StockCode
Accept.UnitOfMeasure
Accept.UseSingleTypeABCElements

Inspect.InspectionReference
Inspect.Lot
Inspect.StockCode
Inspect.UnitOfMeasure
Inspect.QuantityInspected
Inspect.Document

Rework.InspectionReference
Rework.StockCode
Rework.Lot
Rework.UnitOfMeasure
Rework.ReworkQuantity
Rework.Document
Rework.Narration
Rework.ReworkType
Rework.ReworkJob
Rework.LedgerCode
Rework.LedgerPassword
Rework.Journal
Rework.SelectAvailableSerials
Rework.ReservedSerials
Rework.Serials.SerialNumber
Rework.Serials.SerialQuantity
Rework.ReservedLot

Scrap.InspectionReference
Scrap.StockCode
Scrap.Lot
Scrap.UnitOfMeasure
Scrap.Document
Scrap.ScrapCode
Scrap.Narration
Scrap.QuantityScrapped
Scrap.LedgerCode
Scrap.LedgerPassword
Scrap.Journal
Scrap.SelectAvailableSerials
Scrap.ReservedSerials
Scrap.Serials.SerialNumber
Scrap.Serials.SerialQuantity
Scrap.ReservedLot

7.34 Pallet Staging

Pallet.CompanyId
Pallet.PalletId
Pallet.CreatedDate
Pallet.CreatedBy
Pallet.UpdatedDate
Pallet.UpdatedBy
Pallet.PalletStatus
Pallet.Warehouse
Pallet.Bin

PalletItem.StockCode
PalletItem.Lot
PalletItem.Serial
PalletItem.Qty
PalletItem.Note
PalletItem.Reference
PalletItem.CreatedDate
PalletItem.CreatedBy
PalletItem.UpdatedDate

```

PalletItem.UpdatedBy
PalletItem.SalesOrder      (Dispatch Note number when Picking Dispatch Notes)

Order.SalesOrder
Order.Customer
Order.CustomerName
Order.OrderStatus
Order.Branch
Order.OrderType
Order.Area
Order.AlternateKey
Order.NextDetailLine
Order.DocumentType
Order.SalesPerson
Order.Currency
Order.CustomerPoNumber
Order.ShippingInstrs
Order.OrderDate
Order.RegShipDate

Job.Job
Job.JobDescription
Job.SalesOrder
Job.StockCode
Job.StockDescription
Job.Warehouse
Job.QtyToMake
Job.QtyManufactured
Job.JobStartDate
Job.JobDeliveryDate
Job.Complete (True or False)
Job.ConfirmedFlag (True or False)
Job.WipCtlGlCode
Job.WIPJobAllocationCount

```

7.35 Line Item

```

LineItem.Bin
LineItem.Complete
LineItem.Decimals
LineItem.DefaultBin
LineItem.LineNumber
LineItem.Lot
LineItem.MerchandiseLine
LineItem.OrderUnitOfMeasure
LineItem.QuantityOutstanding
LineItem.QuantityOutstandingText
LineItem.QuantityPicked
LineItem.QuantityPickedText
LineItem.QuantityRequired
LineItem.QuantityRequiredText
LineItem.StockCode
LineItem.StockCodeDescription
LineItem.Warehouse

```

8 Supplemental Documents

Printing Serials with Bartender.pdf

9 Additional Help and Support

If you need additional assistance, we are here to help! Visit our support portal or contact our support team.

- Product Downloads, Documentation, Knowledge Base, and How-To Articles are available at <https://ritesoft.freshdesk.com/support/home>
- Email our support team at ritescan@ritesoft.com or call us at 1-320-252-6830, ext. 885 or 1-866-580-7483.